

# RFID UHF Portable SCANNER IDT RHR5

Designed using Impinj E710 module



Bluetooth 4.0  
BLE



IP 54



Shock Proof



UHF RFID  
(Impinj R2000)



Wearable  
& Detachable



IDT RHR5 is an innovative wearable RFID device which gives exibility to the user to nish the task in hands free mode. It can be paired with any Android/iOS device for data transfer and capability enhancements. It is very useful for Warehousing, Power Inspection, Asset Management, Retail, Manufacturing etc. Equipped with Impinj RFID module, it provides reading range up to 5m.

## PHYSICAL PARAMETER

<b>Dimension</b>	108 X 78 X 18mm
<b>Weight</b>	200 g
<b>Interface</b>	Type C USB & Bluetooth 4.0
<b>Battery</b>	2000 mAh
<b>Keypad</b>	On/Off & Scan
<b>Alarm</b>	LED indication for Charging, Battery & Bluetooth
<b>Phone Connectivity</b>	With any Android & iOS device
<b>Color</b>	Black
<b>Body</b>	Plastic

## ENVIRONMENTAL SPECIFICATION

<b>Temperature</b>	-20 °C to +50 °C (Operating) -40 °C to +70 °C (Storage)
<b>Humidity</b>	5% RH - 95% RH non condensing
<b>Drop Test</b>	1.2 m dropping on concrete
<b>Protection</b>	IP 54

## UHF RFID

Frequency	865-868 Mhz
Antenna	Circular Polarized Antenna (3dBic)
Engine	CM710-1 module based on Impinj E710
R/W Range	> 9 m
Reading Rate	900+ tags/sec
Power Output	1W (30dBm, support +5~+30dBm adjustable)

## OPTIONAL FEATURE

SDK	Android / IOS SDK Supported
Security	RFID Encrypted Module (Reserve)

## ORDER INFORMATION

Part Number	IDT.RH.R5
-------------	-----------

## APPLICATION AREA



Retail



Construction



ETC



Manufacturing  
Unit



Transport



Supply  
Chain



ID TECH SOLUTIONS PVT. LTD.

610, Udyog Vihar Phase-5, Gurgaon, Haryana - 122016, INDIA | T. : +91-124 - 4255530 (6 Lines)

E.: [info@idsolutionsindia.com](mailto:info@idsolutionsindia.com) | W: [www.idsolutionsindia.com](http://www.idsolutionsindia.com)



The product specifications and descriptions listed in the specification sheet are subject to change anytime without notice.

©2023 ID Tech Solutions Pvt. Ltd. All Rights Reserved.